

Literaturverzeichnis

- [1] J. BARDEEN, W.H. BRATTAIN, "The Transistor, A Semiconductor Triode", *Physics Review* 74, pp. 230, 1948.
- [2] T. MIMURA, S. HIYAMIZU, T. FUYUI, K. NANBU, "A new Field-Effect-Transistor with Selectively Doped GaAs/n-AlGaAs Heterojunctions", *Jap. J. Appl. Phys.*, Vol. 21 (21), p. 161 - 168, 1982.
- [3] T. ITOH, A.S. BROWN, L.H. CAMNITZ, G.W. WICKS, J. D. BERRY, L. F. EASTMAN, "Depletion- and Enhancement-Mode AlInAs/GaInAs Modulation-Doped Field-Effect Transistors with a Recessed Gate Structure", *Inst. Phys. Conf. Ser.* No. 79, Chapter 10, p. 571 - 576, 1985.
- [4] L. D. NGUYEN, "Realization of Ultra High Speed Modulation-Doped Field-Effect Transistors", *Dissertation, Cornell University*, 1989.
- [5] F. ALI, A. GUPTA, "HEMT's and HBTS's: devices, fabrication, and circuits.", *Artech House, Norwood, USA*, 1991.
- [6] K.A. VALIEV, "The physics of submicron lithography", *Plenum Press, New York* ©, 1992.
- [7] J.G. RUCH, W. FAWCETT, "Temperature Dependence of the Transport Properties of Gallium Arsenide Determined by a Monte Carlo Method", *Journal of Applied Physics*, vol. 41, no.9, p. 3843-3849, 1970.
- [8] H.L. STÖRMER, "Electron mobilities in modulation-doped GaAs-AlGaAs heterostructures", *Surface Science*, p. 519- 526, 1983.
- [9] R. DINGLE, H.L. STÖRMER, A.C. GOSSARD, K.W. BALDWIN, "Electron Mobilities in Modulation-Doped Semiconductor Heterojunction Superlattices", *Applied Physics Letters*, vol 33, no. 7, p.665-667, 1978.
- [10] S. TAKAMIYA, N. YOSHIDA, N. HAYAFUJI, T. SONODA, S. MITSUI, "Overview of recent development of HEMTs in the mm-wave range", *Solid-State Electronics*, vol. 38, no. 9 ,p 1581-1588, 1995.
- [11] U. AUER, „Ein Beitrag zu spannungsarmen, leckstromarmen Höchstfrequenztransistoren auf InP“, *Dissertation, Gerhard-Mercator-Universität Duisburg*, 1999.
- [12] H. ZHOU, D.L. PULFREY, "A new method for estimating the electron concentration in the 2-dimensional electron gas in MODFETs", *Solid-State Electronics*, vol. 35, no. 12, p 1779-1782, 1992.
- [13] F.J. TEGUDE, „Technische Elektronik 1,2“, *Vorlesungsskript, Gerhard-Mercator-Universität Duisburg*, 1997.

- [14] C. HEEDT, „Herstellung und Charakterisierung von InAlAs/InGaAs/InP Heterostruktur-Feldeffekttransistoren mit niedrigen Gate-Leckströmen“, Dissertation, Gerhard-Mercator-Universität Duisburg, 1995.
- [15] J.R. ZHOU, D.K. FERRY, “Simulation of ultra-Small GaAs MESFET’s Using Quantum Moment Equations-II: Velocity Overshoot“, IEEE Transactions on Electron Devices, vol. 39, no. 8, p. 1793-1796, 1992.
- [16] W. BROCKERHOFF, „Feleffekttransistoren aus III-V-Halbleitern: Simulation mit stationären und nichtstationären Modellen“, Dissertation, Gerhard-Mercator-Universität Duisburg, 1989.
- [17] P. ELLRODT, „Analyse von InP-Feldeffekttransistoren mit Hilfe eines Quasi-Zweidimensionalen numerischen Modells, Diplomarbeit, Gerhard-Mercator-Universität Duisburg, 1991.
- [18] R. MENOZZI, M. BORGARINO, Y. BAEYENS, K. VAN DER ZANDEN, M. VAN HOVE, F. FANTINI, “The effect of passivation on the hot electron degradation of lattice-Matched InAlAs/InGaAs/InP HEMTs“, proceedings of International Conference on Indium Phosphide and Related Materials, 11.-15. May 1997, Cape Cod, Massachusetts, USA, p. 153-156, 1997.
- [19] R. MENOZZI, M. BORGARINO, Y. BAEYERS, M. VAN HOVE, F. FANTINI, “On the effects of hot electrons on the DC and RF characteristics of Lattice-matched InAlAs/InGaAs/InP HEMT’s“, IEEE Microwave and Guided Wave Letters, vol. 7, no. 1, 1997.
- [20] A.S. WAKITA, H. ROHDIN, C.-Y. SU, N. MOLL, A. NAGY, V.M. ROBBINS, “Drain resistance degradation under high fields in AlInAs/GaInAs MODFET’s“,
- [21] H. ROHDIN, C.-Y. SU, N. MOLL, A. WAKITA, A. NAGY, V. ROBBINS, M. KAUFFMAN, “Semi-Analytical Analysis of 0.1- μm InGaAs-Channel MODFETs with Emphasis on On-State Breakdown and Reliability“, proceedings of International Conference on Indium Phosphide and Related Materials, 11.-15. May 1997, Cape Cod, Massachusetts, USA, p. 357-360, 1997.
- [22] W. BROCKERHOFF, P. ELLRODT, W. GÜLDNER, K. HEIME, F.J. TEGUDE, “Numerical Analysis of InP-JFET by Use of a Quasi 2D-Model“, proceedings of 22nd ESSDERC, Leuven, Belgien, 1992.
- [23] K. HUI, C. HU, P. GEORGE, P.K. KO, “Impact Ionization in GaAs MESFET’s“, IEEE Electron Device Letters, vol. 11, no. 3, p. 113-115, 1990.
- [24] E. ZANONI, M. MANFREDI, S. BIGLIARDI, A. PACCAGNELLA, P. PISONI, C. TEDESCO, C. CANALI, “Impact Ionization and Light Emission in AlGaAs/GaAs HEMT’s“, IEEE Transactions on Electron Devices, vol. 39, no. 8, p. 1849-1857, August 1992.
- [25] C. CANALI, C. FORZAN, A. NEVIANI, L. VENDRAME, E. ZANONI, R.A. HAMM, R.J. MALIK, F. CAPASSO, S. CHANDRASEKHAR, “Measurement of the electron ionization coefficient at low electric fields in InGaAs-based heterojunction bipolar transistors“, Appl. Phys.Lett. 66 (9), p. 1095-1097, February 27, 1995.
- [26] K.K. THORNER, “Applications of Scaling to Problems in High-Field Electronic Transport“, J. Appl. Phys., vol. 52 (1), p. 279-290, 1981.

- [27] G.W. TAYLOR, P.A. KIELY, "Short Channel Threshold Dependence of the Inversion Channel Heterostructure Field Effect Transistor," IEEE Transactions on Electron Devices, vol. 41, no. 10, p. 1871-1873, 1994.
- [28] H. DÄMBKES, W. BROCKERHOFF, K. HEIME, A. CAPPY, "Improved Short-Channel GaAs MESFET's by Use of Higher Doping Concentration", IEEE Transaction on Electron Devices, vol. 31, no. 8, p. 1032-1037, 1984.
- [29] U. AUER, R. REUTER, C. HEEDT, H. KÜNZEL, W. PROST, F.J. TEGUDE, "InAlAs/InGaAs HFET with extremely High Device Breakdown Using an Optimized Buffer Layer Structure", proc. of 6th InP & Rel. Mat. Conf. 1994, pp. 43, 1994.
- [30] A.N. ERNST, M.H. SOMERVILLE, J.A. DEL ALAMO, "Dynamics of Kink effect in InAlAs/InGaAs HEMT's", proceedings of International Conference on Indium Phosphide and Related Materials, 11.-15. May 1997, Cape Cod, Massachusetts, USA, p. 353-356, 1997.
- [31] B. GEORGESCU, A. SOUIFI, G. POST, G. GUILLOT, "A Slow-Trap model for the Kink effect on InAlAs/InP HFET", proceedings of International Conference on Indium Phosphide and Related Materials, 11.-15. May 1997, Cape Cod, Massachusetts, USA, p. 173-176, 1997.
- [32] W. KRUPPA, J.B. BOOS, "Examination of the Kink effect in InAlAs/InGaAs/InP HEMT's using sinusoidal and transient excitation", IEEE Transactions on Electron Devices, vol. 42, no. 10, pp. 1717, 1995.
- [33] T. SUEMITSU, T. ENOKI, M. TOMIZAWA, N. SHIGEKAWA, Y. ISHII, "Mechanism and structural dependence of Kink phenomena in InAlAs/InGaAs HEMT's", proceedings of International Conference on Indium Phosphide and Related Materials, May 11-15, 1997, Cape Cod, Massachusetts, USA, p. 365-368, 1997.
- [34] G.-G. ZHOU, A. FISCHER-COLBRIE, J.S. HARRIS, "I-V Kink in InAlAs/InGaAs MODFETs due to weak impact ionization process in the InGaAs channel", proceedings of International Conference on Indium Phosphide and Related Materials 1994, p. 435-438, 1994.
- [35] G.-G. ZHOU, A. FISCHER-COLBRIE, J. MILLER, Y.-C. PAO, B. HUGHES, L. STUDEBAKER, J.S. HARRIS, "High output conductance of InAlAs/InGaAs/InP MODFET due to weak impact ionization in the InGaAs channel", proceedings of IEDM 1991, p. 247-250, 1991.
- [36] A.S. BROWN, U.K. MISHRA, C.S. CHOU, C.E. HOOPER, M.A. MELENDES, M. THOMPSON, L.E. LARSON, S.E. ROSENBAUM, M.J. DELANEY, "AlInAs-GaInAs HEMT's Utilizing Low-Temperature AlInAs Buffers Grwon by MBE", IEEE Electron Device Letters, vol 10, p. 565-567, 1989.
- [37] S. VAN WAASEN, „Wanderwellenverstärker für hochbitratige monolithisch integrierte Photoempfänger auf Basis von InAlAs/InGaAs/InP-Heterostruktur-Feldeffekttransistoren“, Dissertation, Gerhard-Mercator-Universität Duisburg, 1999.
- [38] H. MESCHEDI, „Hochfrequenzcharakterisierung von Mikrowellentransistoren aus III-V-Halbleitermaterial bei Temperaturen im Bereich von 20 K bis 300 K“, Dissertation, Gerhard-Mercator-Universität Duisburg, 1993.

- [39] R. REUTER, „Zum Kleinsignal- und Hochfrequenzrauschverhalten von InP-Heterostruktur-Feldeffekttransistoren“, Dissertation, Gerhard-Mercator-Universität Duisburg, 1998.
- [40] D. PETERS, „Modellbildung und Simulation von Heterostruktur-Bipolartransistoren“, Dissertation, Gerhard-Mercator-Universität Duisburg, 1997.
- [41] R.M. BERTENBURG, „Technologie koplanarer monolithisch integrierter Mikrowellenschaltungen auf Galliumarsenid unter Verwendung von Submicron-Feldeffekttransistoren“, Dissertation, Gerhard-Mercator-Universität Duisburg, 1992.
- [42] R. PAUL, „Feldeffekttransistoren“, Berliner Union GmbH, Stuttgart, 1972.
- [43] R. ALLAM, C. KOLANOWSKI, D. LANGREZ, P. BOURNE, J.C. DEJAEGER, Y. CROSNIER, G. SALMER, “60GHz MMIC mixer using a dual gate PHEMT“, proceedings of the ISSE 1995, San Francisco, USA, p 171-174, 1995.
- [44] M. SCHEFER, U. LOTT, W. PATRICK, H.-P. MEIER, W. BÄCHTOLD, “Passive, coplanar V-Band HEMT mixer“, proceedings of International Conference on Indium Phosphide and Related Materials, May 11-15, 1997, Cape Cod, Massachusetts, USA, p. 177-180, 1997.
- [45] C. TSIRONIS, R. STAHLMANN, R. MEIERER, “Modelling and evaluation of dual-gate MESFETs as low-noise, self-oscillating and image-rejection mixers, proceedings of MTT-S, Digest, 1983.
- [46] C. TSIRONIS, R. MEIERER, R. STAHLMANN, “Dual-gate MESFET mixers“, Microwave Theory and Techniques, vol. 32, no.3, 1984.
- [47] W. DAUMANN, W. BROCKERHOFF, R. BERTENBURG, R. REUTER, U. AUER, W. MOLLS AND F.-J. TEGUDE, “On the advantages of InAlAs/InGaAs/InP Dual-Gate-HFET’s in comparison to conventional Single-GateHFET’s“, proceedings of 8th IPRM, April 21-25, 1996, Schwäbisch Gmünd, Germany, p. 462-465, 1996.
- [48] M. SCHEFER, H.-P. MEIER, B. U. KLEPSE, W. PATRICK, W. BÄCHTOLD, “Integrated coplanar MM-Wave amplifier with gain control using a Dual-Gate InP HEMT“, IEEE Transactions on Microwave Theory and Techniques, vol. 44, no. 12, p. 2379-2383, 1996.
- [49] J. WENGER, P. NAROZNY, H. DÄMBKES, J. SPLETTSTÖSSER, C. WERRES, “Low-Noise Pseudomorphic Dual-Gate Cascode HEMT’s with Extremely High Gain“, IEEE Microwave and Guided Wave Letters, vol. 2, no. 2, p. 46-48, Febr. 1992.
- [50] H.-G. UNGER, W. HARTH, „Hochfrequenz-Halbleiterelektronik“, S. Hirzel Verlag, ISBN: 3 7776 0235 3, Stuttgart, 1972.
- [51] R. SOARES, “GaAs MESFET Circuit Design“, Artech House, Boston and London, ISBN: 0 89006 267 6, 1988.
- [52] C. TSIRONIS, R. MEIERER, “DC-Characteristics Aid Dual-Gate-FET Analysis“, Microwaves & RF, p. 71-73, 1981.
- [53] A. BIERNAT, „Aufbau eines Meßplatzes zur Charakterisierung von Dual-Gate-Sperrschicht-FET“, Studienarbeit, Gerhard-Mercator-Universität Duisburg, 1995.

- [54] T. BREDER, „Aufbau eines Hochfrequenz-Meßplatzes zur Charakterisierung von InAlAs/InGaAs/InP Dual-Gate-Heterostruktur-Feldeffekttransistoren“, Diplomarbeit, Gerhard-Mercator-Universität Duisburg, 1997.
- [55] L. LEE, W. LONG, S. STRÄHLE, D. GEIGER, B. HENLE, H. KÜNZEL, E. MITTERMEIER, U. ERBEN, U. SPITZBERG, E. KOHN, “Dual-Gate HFET with Closely Spaced Electrodes on InP, proceedings of IEEE/Cornell Conference on Advanced Concepts in high speed semiconductor devices and circuits, Cornell University, Ithaca, NY, USA, p. 522-531, 1995.
- [56] W. DAUMANN, R. REUTER, M. AGETHEN, U. AUER, W. BROCKERHOFF, R.M. BERTENBURG, AND F.-J. TEGUDE, “Fabrication and high frequency analysis of InAlAs/InGaAs/InP Dual-Gate-HFET’s with special emphasis to impact ionization“, proceedings of Heterostructure Technology Workshop, Lille, Frankreich, Sept. 1996.
- [57] S.R. BAHL, J.A. DEL ALAMO, “Elimination of Mesa-Sidewall Gate Leakage in InAlAs/InGaAs Heterostructures by Selective Sidewall Recessing“, IEEE Electron Device Letters, vol. 13, no. 4, p. 195-197, April 1992.
- [58] C. HEEDT, F. BUCHALI, W. PROST, W. BROCKERHOFF, D. FRITSCHKE, H. NICKEL, R. LÖSCH, W. SCHLAPP, F.-J. TEGUDE, “Drastic Reduction of Gate Leakage in InAlAs/InGaAs HEMT’s Using a Pseudomorphic InAlAs Hole Barrier Layer“, IEEE Transactions on Electron Devices, vol. 41. no. 10, p. 1685-1690, Oct. 1994.
- [59] U. AUER, R. REUTER, P. ELLRODT, C. HEEDT, W. PROST, F.J.TEGUDE, “The impact of pseudomorphic AlAs spacer layers on the gate leakage current of InAlAs/InGaAs heterostructure field-effect transistors“, Microwave and Optical Technology Letters, vol. 11, no. 3, p. 125-128, February 1996.
- [60] W. DAUMANN, F. SCHEFFER, W. PROST, F.-J. TEGUDE, “High Power InAlAs/InGaAs/InP-HFET Grown by MOVPE“, proceedings of Ninth International Conference of InP & Related Materials, 11.-15. May 1997, Hyannis, Cape Cod, Massachusetts, USA, p. 24-27, 1997.
- [61] W. DAUMANN, P. ELLRODT, W. BROCKERHOFF, R.M. BERTENBURG, R. REUTER, U. AUER, W. MOLLS, F.-J. TEGUDE, “InAlAs/InGaAs/InP HFET with suppressed impact ionization using dual-gate cascode-devices“, IEEE Electron Device Letters, vol. 17, no. 10, p. 488-491, 1996.
- [62] A. MECKY, „Simulation mehrschichtiger Dual-Gate HFET“, Studienarbeit, Gerhard-Mercator-Universität Duisburg, 1996.
- [63] W.M. MOREAU, “Semiconductor Lithography: Principles, Practices, and Materials“, Plenum Press, New York & London, 1987.
- [64] H. BENEKING, “Halbleitertechnologie, Eine Einführung in die Prozeßtechnik von Silizium und III-V-Verbindungen“, B.G. Teubner-Stuttgart, 1991.
- [65] S.J. HOLMES, P.C. MITCHELL, M.C. HAKEY, “Manufacturing with DUV lithography“, IBM Journal of Research and Development, January-March 1997, vol. 41, no. 1-2, p. 7-19, 1997.
- [66] F. BIJERK, “Extreme Ultraviolet Lithography: Principles and Prospects“, proceedings of 169. WE-Heraeus-Seminar, Bad-Honnef, 27-30 January 1997.
- [67] D. MÜNCHMAYER, J. LANGEN, “Manufacture of three-dimensional microdevices using synchrotron radiation“, Review of Scientific Instruments, vol. 63, no. 1 pt. 11A, p.713-721, January 1992.

- [68] M. ODA, H. YOSHIHARA, "Materials and fabrication processes for highly accurate xray masks", Symposium: Materials Aspects of X-Ray Lithography 1993, p.69-80, 1993.
- [69] L. REIMER, "Scanning Electron Microscopy", Springer Verlag, Berlin, Heidelberg, 1985.
- [70] T. PFAU, "Atom lithography", proceedings of PHASDOM 1997, Aachen, March 10-13, 1997.
- [71] S.-B. CARLSSON, "Real-time observation of AFM-fabrication of lateral nanoscale ohmic and tunneling device structures", proceedings of PHASDOM 1997, Aachen, March 10-13, 1997.
- [72] S.Y. CHOU, P.R. KRAUSS, P.J. RENSTROM, "Imprint lithography with 25-nanometer resolution", Science, vol. 272, no. 5258, p. 85-87, April 1996.
- [73] G. LINGJIE, P.R. KRAUSS, S.Y. CHOU, "Nanoscale silicon field effect transistors fabricated using imprint lithography", Applied Physics Letters, vol. 71, no. 13, p. 1881-1883, 1997.
- [74] D.P. KERN, "Electron Beam Lithography: Challenges and Potential Answers", proceedings of 169. WE-Heraeus-Seminar, Bad-Honnef, 27-30 January 1997.
- [75] D. P. KERN, "Fabrication in the sub-100nm regime", proceedings of PHASDOM 1997, Aachen, March 10-13, 1997.
- [76] L. REIMER, G. PFEFFERKORN, „Rasterelektronenmikroskopie“, Springer Verlag, Berlin, Heidelberg, New York 1977.
- [77] Produktinformationen der Firma JEOL: Bedienungshandbuch, Rasterelektronenmikroskop JSM-6400, 1994.
- [78] Produktinformationen der Firma Raith GmbH, Bedienungshandbuch Elphy^{PLUS}, 1994.
- [79] Valid Logic Systems, "Datenformat", Valid Logic Sytems Inc.
- [80] W. PATRICK, "ELPHY in MMIC Fabrication", proceedings of the 1st. workshop on ELPHY in MMIC Fabrication, Zürich, Schweiz, September 6-9, 1995.
- [81] C. VAN DEN BERG, „Herstellung und Charakterisierung von elektronenstrahlgeschriebenen Mushroom-Gate-Kontakten in InAlAs/InGaAs/InP Single-Gate und Dual-Gate Feldeffekttransistoren“, Studienarbeit, Gerhard-Mercator-Universität Duisburg, 1996.
- [82] T. NISHIDA, "Quantum-Wire Fabrication by EBEAM-Lithography using high resolution and high sensitivity EBEAM-resist ZEP520", Japanese Journal of Applied Physics, vol. 31, p. 4508ff, 1992.
- [83] I.N. BRONSTEIN, K.A. SEMENDJAJEW, "Taschenbuch der Mathematik", 23. Auflage, Verlag Harri Deutsch, Frankfurt am Main, Deutschland, 1987.
- [84] H. LUCK, "Theoretische Grundlagen der Nachrichtentechnik I,II,III,IV", Vorlesungsskript, Gerhard-Mercator Duisburg, 1990.
- [85] J.S. GREENEICH, "Developer characteristics of Poly-(Methyl Methacrylate) electron resist", J. Electrochem. Soc.; Solid State Science and Technology, vol. 122, no. 7, p. 970ff, July 1975.
- [86] A.P.H. SAEDT, W.J. HOMAN, M.P. REINDERS, "A finite state Markov model with continuous time parameter for physical and chemical cutting process", European Journal of Operational Research, vol. 55, no. 2, p.279-290, 25.Nov. 1991.
- [87] R.M. ZIFF, E.D. MCGRADY, "The kinetics of cluster fragmentation and depolymerisation", Journal of Physics A, vol. 18, no. 15, p. 3027-3037, 21. Oct. 1985.
- [88] E.M. LEHOCKEY, I. REID, I. HILL, "The radiation chemistry of poly(methyl methacrylate) polymer resists", Journal of Vacuum and Science & Technology A, vol. 6, no. 4, p. 2221-2225, July-Aug. 1988.

- [89] B.W. YATES, D.M. SHINOZAKI, "Radiation degradation of poly(methyl methacrylate) in the soft X-ray region" *Journal of Polymer Science, Part B*, vol. 31, no. 12, p. 1779-1784, Nov. 1993.
- [90] L. DUCK-CHOO, P. JONG-KWAN, H. SANG-OK, K. JONG-SUK, C. SUNG-UK, "A study on the preparation and resist characterization of the plasma polymerized thin films", *Transactions of the Korean Institute of Electrical Engineers*, vol. 43, no. 5, p.802-808, May 1994.
- [91] S. BEAUVOIS, D. RENAUT, R. LAZZARONI, L.D. LAUDE, J.L. BREDAS, "Physico-chemical characterization of the effect of excimer laser irradiation on PMMA thin films", *Applied Surface Science*, vol 109-110, p. 218-221, Feb. 1997.
- [92] A. LICCIARDELLO, M.E. FRAGALA, G. FOTI, G. COMPAGNINI, O. PUGLISI, "Ion beam effects on the surface and on the bulk of thin films of polymethyl-methacrylate", *Nuclear Instruments & Methods in Physics Research, Section B*, vol. 116. No. 1-4, p. 168-172, Aug. 1996.
- [93] A. MISAKA, K. HARAFUJI, N. NOMURA, "Determination of proximity effect parameters in electron-beam lithography", *Journal of Applied Physics*, vol. 68, no. 12, p. 6472-6479, 15 Dec. 1990.
- [94] H. CAMON, J.P. MARTINEZ, J. L. BALLADORE, "Nanolithography by a High Energy Electron Beam, *Revue Phys. Appl.*, no. 23, Frankreich, p. 1317-1323, 1988.
- [95] G.P. WATSON, D. FU, S.D. BERGER, D. TENNANT, L. FETTER, A. NOVEMBRE, C. BIDDICK, "Measurement of the backscatter coefficient using resist response curves for 20-100 keV electron beam lithography on Si", *J. Vac. Sci. Technol. B*, vol. 14, no. 6, p. 4277-4282, Nov./Dec. 1996.
- [96] J. DRUCKER, M.R. SCHEINFEIN, J. LIU, J.K. WEISS, "Electron coincidence spectroscopy studies of secondary and Auger electron generation mechanism", *Journal of Applied Physics*, vol. 74, no. 12, p. 7329-7339, 15.Dec. 1993.
- [97] T.H.P. CHANG, "Proximity effect in electron-beam lithography", *J. Vac. Sci. Technol.*, vol. 12, no. 6, p. 12711-275, Nov./Dec. 1975.
- [98] V.V. ARISTOV, B.B. GAIFULLIN, A.A. SVINSTSOV, S.I. ZAITSEV, "Accuracy of proximity correction in electron lithography after development", *J. Vac. Sci. Technol. B*, vol. 10, no. 6, p. 2459-2465, Nov./Dec. 1992.
- [99] W. PATRICK, P. VETTIGER, "Optimization of the parameters for the electron beam exposure of nanometer gate-length GaAs metal-semiconductor field effect transistors", *J. Vac. Sci. Technol. B*, vol. 6, no. 6, p. 2037-2041, Nov/Dec. 1988.
- [100] R. STEFFEN, F. FALLER, A. FORCHEL, "Low-voltage electron beam lithography on GaAs substrates for quantum wire fabrication", *J. Vac. Sci. Technol. B*, vol. 12, no. 6, p. 3653-3657, Nov/Dec. 1994.
- [101] R. RAU, H. MCCLELLAN, T.J. DRABIK, "Proximity effect correction for nanolithography. *J. Vac. Sci. Technol. B*, vol. 14, no. 4, p. 2445-2455, Jul./Aug. 1996.
- [102] V.V. ARISTOV, A.I. ERKO, B.N. GAIFULLIN, A.A. SVINTSOV, S.I. ZAITSEV, R.R. JEDE, H.F. RAITH, "Proxy - A new approach for proximity correction in electron beam lithography", *Microelectronic Engineering, Elsevier*, vol. 17, p. 413-416, 1992.
- [103] T. KASUGA, M. KONISHI, T. ODA, S. MORIYA, "Studies on correction accuracy of proximity effect for the pattern area density method in electron beam direct writing", *J. Vac. Sci. Technol. B*, vol. 14, no. 6, p. 3870-3873, Nov./Dec. 1996.

- [104] S.Y. LEE, B. LIU, "Region-wise proximity effect correction for heterogeneous substrates in electron-beam lithography: Shape modification", *J. Vac. Sci. Technol. B*, vol. 14, no. 6, p. 3874-3879, Nov./Dec. 1996.
- [105] H. STEPPAN, G. BUHR, H. VOLLMANN, „Resisttechnik -ein Beitrag der Chemie zur Elektronik“, *Angewandte Chemie*, Heft 7, p. 471-485, 1982.
- [106] M. SCHIRMER, G. MEHLIß, M. BÖTTCHER, L. BAUCH, CH. CHRISTINK, G. GRUTZNER, „Empfindliche E-Beam-Resists, Ergebnisse eines Surface-Imaging-Resists auf Novolack-Basis“, *Halbleiter EPP*, pp. 110, Nov. 1993.
- [107] Produktinformationen der Fa. Olin, *Microelectronics Materials*, Zwijndrecht, Belgien, 1997.
- [108] C.C. HAN, J.C. CORELLI, "Photosensitive Azide-PMMA modified resist", *Journal of the Electrochemical Society*, vol. 134, no 4, p. 1036-1037, 1987.
- [109] C. WEN-YEN, S. HWAI-DER, "New deep-ultraviolet positive photoresists. II. Copolymers of p-trimethylsilystyrenes", *Journal of Vacuum Science & Technology B*, vol. 15, no. 2, p. 299-305.
- [110] W.W. FLACK, G.E. FLORES, L. CHRISTENSEN, G. NEWMAN, "An investigation of the properties of photosensitive polyimide films", *proceedings of SPIE's, The International Society for Optical Engineering*, vol. 2726, p. 169-185, 1996.
- [111] J.M. CECH, A.F. BURNETT, L. KNAPP, "Pre-imidized photoimageable polyimide as a dielectric for high density multichip modules", *Polymer Engineering and Science*, vol. 32, no. 21, p. 1646-1652, 1992.
- [112] M. NUHN, L. SUNGMUK, "Submicron optical lithography: enhanced resolution and depth of focus using advanced processing materials and process optimization", *proceedings of SPIE, The International Society for Optical Engineering*, vol. 631, p. 135-148, 1986.
- [113] J. LOHAU, „Herstellung von Nanostrukturen mittels Elektronenstrahlolithographie“, *Diplomarbeit, Gerhard-Mercator-Universität Duisburg*, 1996.
- [114] H. FICHTNER, „Untersuchung von Parametervariationen bei der Elektronenstrahlolithographie auf der Grundlage eines 2-Lagen-PMMA-Lacksystems“, *Studienarbeit, Gerhard-Mercator-Universität Duisburg*, 1995.
- [115] W. PATRICK, K. GLORER, J. SCHNEIDER, "Overlay precision between electron beam and optical lithography systems for a mix and match GaAs technology", *J. Vac. Sci. Technol. B* 7 (6), p. 1991- 1994, Nov/Dec 1989.
- [116] I. EMRE, „Entwurf und Ausführung von Logikgattern mit Hilfe von Heterostruktur-Feldeffekttransistoren“, *Studienarbeit, Gerhard-Mercator-Universität Duisburg*, 1997.
- [117] M. ENGELS, R.H. JANSEN, W. DAUMANN, R.M. BERTENBURG, F.-J. TEGUDE, "Design Methodology, Measurement and Application of MMIC Transmission line Transformer", *proceedings of International Microwave Symposium (MTT-S)*, Orlando, USA, 1995.
- [118] J.L. VOSSEN, W. KERN, "Thin Film Processes", *Academic Press, Inc. , Orlando, Florida*, ISBN 0-12-728250-5, 1978.
- [119] S. KURODA, N. HARADA, T. KATAKAMI, T. MIMURA, "HEMT with nonalloyed Ohmic Contacts Using n⁺-InGaAs Cap Layer", *IEEE Electron Device Letters*, vol 8, p.389-391, 1987.

- [120] P.M. CAPANI, S.D. MUKHERJEE, H.T. GRIEM, L. RATHBUN, L.F. EASTMAN, "Low-Resistance Alloyed NiGeAuAgAu Ohmic Contacts to modulation-doped $\text{Al}_{0.48}\text{In}_{0.52}\text{As}/\text{Ga}_{0.47}\text{In}_{0.53}\text{As}$ ", *Electronics Letters*, vol. 22, no. 5, 1985.
- [121] P.M. CAPANI, S.D. MUKHERJEE, P. ZWICKNAGL, J.D. BERRY, H.T. GRIEM, G.W. WICKS, L. RATHBUN, L.F. EASTMAN, "A Study of Alloyed AuGeNi/Ag/Au Based Ohmic Contacts on the $\text{Al}_{0.48}\text{In}_{0.52}\text{As}/\text{Ga}_{0.47}\text{In}_{0.53}\text{As}$ System", *Journal of Electronic Materials*, vol. 15, no. 3, p. 185-191, May 1986.
- [122] P.M. CAPANI, S.D. MUKHERJEE, L. RATHBUN, H.T. GRIEM, G.W. WICKS, L.F. EASTMAN, "The characterization of alloyed NiGeAuAgAu Ohmic contacts to AlInAs/GaInAs heterostructure by Auger Electron Spectroscopy and wavelength dispersive X-ray analysis", proceedings of Spring MRS Meeting, San Francisco, CA, 15-18. April 1985.
- [123] D.G. IVEY, S. EICHER, S. WINGAR, T. LESTER, "Performance of Pd-Ge based ohmic contacts to n-type GaAs", *Journal of Materials Science Letters*, vol. 16, p. 63-68, 1997.
- [124] G.K. REEVES, H.B. HARRISON, "Obtaining the Specific contact resistance from Transmissionline Model Measurements", *IEEE Electron Device Letters*, vol. 3, p- 111-113, 1982.
- [125] A. WIERSCH, C. HEEDT, S. SCHNEIDERS, R. TILDERS, F. BUCHALI, W. KUEBART, W. PROST, F.-J. TEGUDE, "Room-Temperature Deposition of SiN_x using ECR-PECVD for III/V Semiconductor Microelectronics in Lift-Off Technique", *J. of Non-Crystalline Solids* 187, p. 334-339, 1995.
- [126] R.C. TIBERIO, J.M. LIMBER, G.J. GALVIN, E.D. WOLF, "Electron beam lithography and resist processing for the fabrication of T-gate structures", *SPIE vol. 1089; Electron-Beam, X-Ray, and Ion-Beam Technology: Submicrometer Lithographies VIII*, p. 124-131, 1989.
- [127] L.D. NGUYEN, A.S. BROWN, M.A. THOMPSON, L.M. JELLOIAN, L.E. LARSON, M. MATLOUBIAN, "650-Å Self-Aligned Pseudomorphic $\text{Al}_{0.48}\text{In}_{0.52}\text{As}/\text{Ga}_{0.20}\text{In}_{0.80}\text{As}$ High Electron Mobility Transistors", *IEEE Electronic Device Letters*, vol. 13, no. 3, p. 143-145, March 1992.
- [128] M. WOJITOWICZ, R. LAI, D.C. STREIT, G.I. NG, T.R. BLOCK, K.L. TAN, P.H. LIU, A.K. FREUDENTHAL, R.M. DIA, "0.10 μm graded InGaAs Channel InP HEMT with 305 GHz f_T and 340 GHz f_{max} ", *IEEE Electron Device Letters*, vol. 15, no. 11, p. 477-479, 1994.
- [129] K. VAN DER ZANDEN, Y. BAEYENS, M. VAN HOVE, D. SCHREURS, W. DE RAEDT, M. VAN ROSSUM, "W-band high-gain amplifier using InP dual-gate HEMT technology" proceedings of International Conference on Indium Phosphide and Related Materials, May 11-15, 1997, Cape Cod, Massachusetts, USA, p. 249-252, 1997.
- [130] I.G. THAYNE, G.U. JENSEN, M.C. HOLLAND, Y. CHEN, W.LI, A. PAULESEN, J.H. DAVIES, S.P. BEAUMONT, P.K. BHATTACHARYA, "Comparison of 80-200nm Gate Length $\text{Al}_{0.25}\text{GaAs}/\text{GaAs}/-(\text{GaAs}:\text{AlAs})$, $\text{Al}_{0.3}\text{GaAs}/\text{In}_{0.15}\text{GaAs}/\text{GaAs}$, and $\text{In}_{0.52}\text{AlAs}/-\text{In}_{0.65}\text{GaAs}/\text{InP}$ HEMT's", *IEEE Transactions on Electron Devices*, vol. 42, no. 12, p. 2047-2055, 1995.

- [131] P.R. DESHMUKH, W. S. KHOKLE, "On proximity exposure compensation in electron-beam lithography", IEEE Transaction on Electron Devices, vol. 36, no. 9, p. 2011-2017, Sept. 1989.
- [132] E. BUSHEHRI, A. THIEDE, V. BRATOV, V. STEROSSELSKY, M. RIEGER-MOTZER, A. HUELSMANN, T. SCHLICHTER, B. RAYNER, "Design and Evaluation of a novel enhancement mode FET logic gate configuration in AlGaAs/GaAs/AlGaAs quantum well HEMT technology", IEE Proceedings-Circuits, Devices and Systems, vol. 144, no. 4, p. 243-264, Aug. 1997.
- [133] M. VAN SLOUN, „Entwicklung eines Standard-3-Lagen-Elektronen-strahl-Lithographieprozesses zur Herstellung von 0.3 μm Gate-Kontakten“, Studienarbeit, Gerhard-Mercator-Universität Duisburg, 1994.
- [134] C. VAN DEN BERG, „Herstellung und Charakterisierung von elektronenstrahl-geschriebenen Mushroom-Gate-Kontakten in InAlAs/InGaAs/InP Single Gate- und Dual-Gate-Feldeffekttransistoren“, Diplomarbeit, Gerhard-Mercator-Universität Duisburg, 1996.
- [135] D. G. BALLEGEER, K. NUMMILA, I. ADESIDA, "Multilayer resist process for asymmetric gate recess in field-effect transistors", J. Vac. Sci. Technol. B 11 (6), p. 2560-2564, Nov./Dec. 1993.
- [136] H. TAKANO, H. NAKANO, H. MINAMI, K. HOSOGI, A.N. YOSHIDA, K. SATO, Y. HIROSE, N. TSUBOUCHI, "Electron-beam/ultraviolet exposure combined with novel bilayer resist system for a 0.15 μm T-shaped gate fabrication process". J. Vac. Sci. Technol. B 14 (6), p. 3483-3488, Nov./Dec. 1996.
- [137] N. SAMOTO, Y. MAKINO, E. ONDA, E. MIZUKI, T. ITOH, "A novel electron-beam exposure technique for 0.1- μm T-shaped gate fabrication", J. Vac. Sci. Technol. B 8 (6), p. 1335-1338, Nov./Dec. 1990.
- [138] D.M. TANENBAUM, C.W. LO, M. ISAACSON, H.G. CRAIGHEAD, M.J. ROOKS, K.Y. LEE, W.S. HUANG, T.H.P. CHANG, "High resolution electron beam lithography using ZEP-520 and KRS resists at low voltage", J. Vac. Sci. Technol. B 14 (6), p. 3829-3833, Nov./Dec. 1996.
- [139] M.M. AHMED, H. AHMED. "Novel electron beam lithography technique for submicron T-gate fabrication", J. Vac. Sci. Technol. B 15(2), p. 306-310, Mar./Apr. 1997.
- [140] E. MITTERMEIER, D. GEIGER, S. STRÄHLE, E. KOHN, "Fabrication of dual-gate FET structures with short gate length and nm spacing", Miroelectronic Engineering 27, p. 75-78, 1995.
- [141] W. DAUMANN, C. VAN DEN BERG, R.M. BERTENBURG, F.-J. TEGUDE, "High Resolution EBEAM Lithography using a novel resist and exposure strategy", proceedings of 169. WE-Heraeus Seminar, Bad Honnef, Germany, January 27-30, 1997.
- [142] W. DAUMANN, C. VAN DEN BERG, M. SCHIRMER, R.M. BERTENBURG, F.-J. TEGUDE, "Sub-100nm Mushroom-Gate EBEAM Fabrication Using a Novel Resist- and Exposure Strategy", proceedings of Phantoms Strategics Domain Meetings, Aachen, Germany, March 10-13, 1997.
- [143] L. STEVENS, R. JONCKHEERE, E. FROYEN, S. DECOUTERE, D. LANNEER, "Determination of the Proximity-Parameters in Electron-Beam Lithography

- Using Doughn-Structures“, Microelectronic Engineering, no. 5, p 141-150, North-Holland, 1986.
- [144] W. DAUMANN, C. VAN DEN BERG, M.SCHIRMER, R. BERTENBURG, F.-J. TEGUDE, “Novel Resist- and Exposure Strategy for High Resolution Electron Beam Lithography“, proc. of SPIE’s International Symposium on Optical Science and Engineering, San Diego, USA, July 27-31, 1997.
- [145] M. SCHIRMER, Fa. Allresist GmbH, Berlin, Deutschland, Private Mitteilung, 1997.
- [146] H.C. DURAN, R. CHEUNG, W. PATRICK, W. BÄCHTOLD, “An investigation of various post-RIE cleaning processes for dry etched InP-based Hemts“, Microelectronics Engineering, vol. 35, n0. 1-4, p. 67-90, Febr. 1996.
- [147] S. KIRSCH, A. CARL, H. WEINFORTH, A. POLLMANN, M. THIELEN, E.F. WASERMANN, “Fabrication of large scale periodic magnetic nanostructures“, J. Appl. Physics 83(3), Febr. 1998.
- [148] M. JOSEPH, „Reaktives Ionenätzen zur Herstellung von III/V-Halbleiterbauelementen und integrierten Schaltungen“, Disseratation, Gerhard-Mercator-Universität Duisburg, 1992.
- [149] W. PROST, „Technologie der III/V-Halbleiter“, Springer Verlag, ISBN: 3-540-62804-5, Berlin Heidelberg, 1997.
- [150] G. GRUETZNER, S. FEHLBERG, A. VOIGT, B.LÖCHEL, M. ROTHE, “New negative-tone photoresists avoid swelling and distortion“, Solid State Technology, p. 79-81, Jan. 1997.
- [151] P. LAMARRE, R. MCTAGGERT, “A Positive Photoresist Adhesion Promoter for PMMA on GaAs MESFET’s“, IEEE Transactions on Electron Devices, vol. 37, no. 11 , p. 2406-2408, Nov. 1990.
- [152] M. LEVINSON, C.W. WILKINS, “GaAs Process Compatible Adhesion Promotor for PMMA Resists“, J. Electrochem. Soc.: Solid-State Science and Technology, vol. 133, no. 3, p. 619-621, March 1986.
- [153] F. GUBMANN (Dipl.-Chemiker), Private Mitteilung ,1996.
- [154] W. SCHRÖTER, K.-H. LAUTENSCHLÄGER, H. BIBRACK, W. STÄDTLER, Chemie: Fakten und Gesetze, Buch- und Zeit-Verlagsgesellschaft mbH Köln, Leipzig, 1972.
- [155] W. DAUMANN, F. SCHEFFER, W. PROST, F.-J. TEGUDE, “High power InAlAs/InGaAs/ InP-HFET grown by MOVPE“, proc. of International Conference on Indium Phosphide and Related Materials, Cape Cod, Massachusetts, USA, p. 24-27, May 11-15, 1997.
- [156] M. TONG, K. NUMMILA, A. KETTERSON, I. ADESIDA, C. CANEAU, R. BHAT, “InAlAs/InGaAs/InP MODFET’s with Uniform Threshold Voltage Obtained by Selective Wet Gate-Recess“, IEEE Electron Device Letters, vol. 13, no. 10, October 1992.
- [157] G. C. DESALVO, W. F. TSENG, J. COMAS, “Etch Rates and Selectivities of Citric Acid/Hydrogen Peroxide on GaAs, $Al_{0.3}Ga_{0.7}As$, $In_{0.2}Ga_{0.8}As$, $In_{0.53}Ga_{0.47}As$, $In_{0.52}Al_{0.48}As$, and InP“, J. Electrochem. Soc., vol. 139, no. 3, p. 831-833, March 1992.

- [158] H. LÖWE, P. KEPPEL, D. ZACH, „Halbleiterätzverfahren - Kinetik, Verfahrensgrundlagen und Anwendungsgebiete von naßchemischen Ätzverfahren für Si, GaAs, GaP und InP“, Akademie-Verlag, Berlin, 1990.
- [159] A. SEABAUGH, B. BRAR, T. BROEKART, G. FRAZIER, F. MORRIS, P. VAN DER WAGT, E. BEAM, “GaAs IC Symposium, Anaheim, USA, 19th Annual Technical Digest, p. 119-122, Oct. 1997.
- [160] H.R. KAUFMANN, R.S. ROBINSON, W.E. HUGHES, “Characteristics, Capabilities, and Applications of Broad-Beam Sources“, Commonwealth Science Corporation, Alexandria, Virginia, USA, o.J.
- [161] SABINE FRANKE, Chemielaborantin, Gerhard-Mercator-Universität Duisburg, Private Mitteilung, 1997.
- [162] R. CHEUNG, W. PATRICK, I. PFUND, G. HÄHNER, “Reactive ion etch-induced effects on 0.2 μm T-gate $\text{In}_{0.52}\text{Al}_{0.48}\text{As}/\text{In}_{0.53}\text{Ga}_{0.47}\text{As}/\text{InP}$ high electron mobility transistors“, J. Vac. Sci. Technol. B 14 (6), p. 3679-3683, Nov./Dec. 1996.
- [163] S. AGARWALA, K. NUMMILA, I. ADESIDA, C. CANEAU, R. BHAT, “InAlAs/InGaAs heterostructure FET`s processed with selective reactive ion etching gate recess technology“, IEEE Electron Device Letters, vol. 14, no. 9, p. 425-427, 1993.
- [164] S. KURODA, K. IMANISHI, N. HARADA, K. HIKOSAKA, M. ABE, “Highly uniform N-In AlAs/InGaAs HEMT`s on a 3-in InP substrate using photochemical selective dry recess etching“, IEEE Electron Device Letters, vol. 13, no. 2, p. 105-107, 1992.
- [165] H.C. DURAN, B.-U.H. KLEPSE, W. BÄCHTOLD, “Low-noise properties of dry gate recess etched InP HEMT`s“, IEEE Electron Device Letters, vol. 17, no. 10, p. 482-485, 1996.
- [166] S. MURAD, M. RAHMAN, N. JOHNSON, S. THOMS, S.P. BEAUMONT, C.D.W. WILKINSON, “Dry etching damage in III-V semiconductors“, J. Vac. Sci. Technol. B 14 (6), p. 3658-3662, Nov./Dec. 1996.
- [167] A. BRENNEMANN, Dipl. Ing., Gerhard-Mercator-Universität Duisburg Private Mitteilung, 1997.
- [168] A. MIRAS, E. LEGROS, “Very high-Frequency small-signal equivalent circuit for short Gate-Length InP HEMT`s“. IEEE Transactions on Microwave Theory and Techniques, vol. 45, no. 7, pp. 1018, 1997.
- [169] B. YU, C.H.J. WANN, E.D. NOWAK, K. NODA, C. HU “Short-channel effect improved by lateral channel-engineering in deep-submicrometer MOSFET`s“, IEEE Transactions on Electron Devices, vol. 44, no. 4, pp. 627, 1997.
- [170] J.R. ZHOU, D.K. FERRY, “Modeling of Quantum Effects in Ultrasmall HEMT Devices“, IEEE Transactions on Electron Devices, vol. 40, no. 2, p. 421-427, 1997.
- [171] N. SAMOTO, I. MIURA, Y. MAKINO, K. YAMANOGUCHI, “Sub-0.1- μm T-shaped gate fabrication technology using mixing-layer sidewalls in a double-layer resist system“, J. Vac. Sci. Technol. B 12 (6), p. 3673-3676, Nov./Dec. 1994.
- [172] Prof. Dr. L.F. EASTMAN, School of Electrical Engineering and National Research and Resource Facility for Submicron Structures, Cornell University, Phillips Hall, Ithaca, NY, USA, Private Mitteilung, 1995.

- [173] L. NGUYEN, M. LE, M. DELANEY, M. LUI, T. LIU, J. BROWN, R. RHODES, M. THOMPSON, C. HOOPER, "Manufacturability of 0.1 μm Millimeterwave Low-Noise InP Hemts", proceedings of MTT-S, Digest, p. 345-347, 1993.
- [174] K. ONDA, A. FUJIHARA, A. WAKEJIMA, E. MIZUKI, T. NAKAYAMA, H. MIYAMOTO, Y. ANDO, M. KANAMORI, "Novel InAlAs/InGaAs Heterojunction FETs with Modulated Indium Composition Channel and AlAs/InAs Superlattice Barrier Layer", proceedings of IPRM, p. 185-188, 1997.
- [175] R. LAI, H. WANG, Y.C. CHEN, T. BLOCK, P.H. LIU, D.C. STREIT, D. TRAN, P. SIEGEL, M. BARSKY, W. JONES, T. GAIER, "D-band MMIC LNAs with 12 dB Gain at 155 GHz Fabricated on a High Yield InP HEMT MMIC Production Process", proceedings of IPRM, p. 241-244, 1997.
- [176] H. HARDTDEGEN, M. MARSO, M. HORSTMANN, K. SCHIMPF, M. SOMMER, G. JACOB, P. KORDOS, "Demonstration of Nitrogen Carrier Gas in MOVPE for InP/InGaAs-based High Frequency and Optoelectronic Integrated Devices", proceedings of IPRM, p. 320-323, 1997.
- [177] J.B. SHEALY, M. MATLOUBIAN, T.Y. LIU, W. LAM, C. NGO, "0.9W/mm, 76% P.A.E. (7 GHz) GaInAs/InP Composite Channel HEMTs", proceedings of IPRM, p. 20-23, 1997.
- [178] A.S. SEDRA, K. C. SMITH, "Microelectronic Circuits", Saunders College Publishing, ISBN 0-03-051648-X, 1990.
- [179] P. ELLRODT, W. BROCKERHOFF, F.J. TEGUDE, "Simulation of gate leakage due to impact ionization in InAlAs/InGaAs-HFETs", proceedings of ISSDT 1995, p. 34-37, Nov. 11-17, South Afrika, 1995.
- [180] Y. BAEYENS, "Monolithic microwave integrated circuits using GaAs and InP based heterojunction field effect transistors", Dissertation, IMEC Leuven, Belgien, Januar 1997.