

Bibliography

- [1] APPERT, C., AND SANTEN, L. Boundary induced phase transitions in driven lattice gases with metastable states. *Phys. Rev. Lett.* *86* (2001), 2498–2501.
- [2] BANDO, M., HASEBE, K., NAKANISHI, K., AND NAKAYAMA, A. Analysis of optimal velocity model with explicit delay. *Phys. Rev. E* *58* (1998), 5429–5435.
- [3] BANDO, M., HASEBE, K., NAKANISHI, K., SHIBATA, A., AND SUGIYAMA, Y. Phenomenological study of dynamical models of traffic flow. *J. Phys. I* *5* (1995), 1389–1399.
- [4] BANDO, M., HASEBE, K., NAKAYAMA, A., SHIBATA, A., AND SUGIYAMA, Y. Structure stability of congestion in traffic dynamics. *Jap. J. Indust. Appl. Math.* *11* (1994), 203–223.
- [5] BANDO, M., HASEBE, K., NAKAYAMA, A., SHIBATA, A., AND SUGIYAMA, Y. Dynamical model of traffic congestion and numerical simulation. *Phys. Rev. E* *51* (1995), 1035–1042.
- [6] BARLOVIC, R. Metastabile Zustände in Zellularautomatenmodellen für den Straßenverkehr. Master’s thesis, University of Duisburg, Germany, 1998.
- [7] BARLOVIC, R., HUISINGA, T., SCHADSCHNEIDER, A., AND SCHRECKENBERG, M. On open boundaries in a cellular automaton model for traffic flow. *in preparation* (2002).
- [8] BARLOVIC, R., SANTEN, L., SCHADSCHNEIDER, A., AND SCHRECKENBERG, M. Metastable states in cellular automata for traffic flow. *Eur. Phys. J. B* *5* (1998), 793–800.
- [9] BARLOVIC, R., SCHADSCHNEIDER, A., AND SCHRECKENBERG, M. Random walk theory of jamming in a cellular automaton model for traffic flow. *Physica A* *294* (2001), 525–538.
- [10] BARRETT, C. L., WOLINSKY, M., AND OLESEN, M. W. Emergent local control properties in particle hopping traffic simulations. In Wolf et al. [144], pp. 169–173.
- [11] BERG, P., AND WOODS, A. On-ramp simulations and solitary waves of a car-following model. *Phys. Rev. E* *64* (2001), 035601(R).
- [12] BRACKSTONE, M., AND MCDONALD, M. The microscopic modelling of traffic flow: Weaknesses and potential developments. In Wolf et al. [144], pp. 151–165.
- [13] BRILON, W., AND WU, N. Evaluation of cellular automata for traffic flow simulation on freeway and urban streets. In *Traffic and Mobility* (Berlin: Springer, 1999), W. Brilon, F. Huber, M. Schreckenberg, and H. Wallentowitz, Eds., pp. 163–180.

-
- [14] BROCKFELD, E., BARLOVIC, R., SCHADSCHNEIDER, A., AND SCHRECKENBERG, M. Optimizing traffic lights in a cellular automaton model for city traffic. *Phys. Rev. E* 64 (2001), 056132.
- [15] CASSIDY, M. J., AND WINDOVER, J. R. Driver memory: Motorist selection and retention of individualized headways in highway traffic. *Transp. Res. A* 32 (1998), 129–137.
- [16] CHANDLER, R. E., HERMAN, R., AND MONTROLL, E. W. Traffic dynamics: Studies in car following. *Op. Res.* 6 (1958), 165–184.
- [17] CHANG, G. L., AND KAO, Y. M. An empirical investigation of macroscopic lane-changing characteristics on uncongested multilane freeways. *Transp. Res. A* 25 (1991), 375–389.
- [18] CHOWDHURY, D., SANTEN, L., AND SCHADSCHNEIDER, A. Statistical physics of vehicular traffic and some related systems. *Physics Reports* 329 (2000), 199–329.
- [19] CHOWDHURY, D., WOLF, D. E., AND SCHRECKENBERG, M. Particle hopping models for two-lane traffic with two kinds of vehicles: Effects of lane-changing rules. *Physica A* 235 (1997), 417–439.
- [20] CHROBOK, R., KAUMANN, O., WAHLE, J., AND SCHRECKENBERG, M. Three categories of traffic data: Historical, current, and predictive. In *Proc. of the 9th IFAC Symposium Control in Transportation Systems* (Braunschweig, 2000), E. Schnieder and U. Becker, Eds., IFAC, pp. 250–255.
- [21] CHROBOK, R., WAHLE, J., AND SCHRECKENBERG, M. Traffic forecast using simulations of large scale networks. In *Proc. of the 4th International IEEE Conference on Intelligent Transportation Systems* (2001), pp. 434–439.
- [22] CREMER, M., AND LUDWIG, J. A fast simulation model for traffic flow on the basis of boolean operations. *Math. and Comp. in Sim.* 28 (1986), 297–303.
- [23] DAGANZO, C. F. Requiem for second-order fluid approximations of traffic flow. *Transp. Res. B* 29 (1994), 277–286.
- [24] DIEDRICH, G. Numerische Untersuchung zur Phasenseparation in Zellularautomaten für Strassenverkehr. Master’s thesis, University of Köln, Germany, 1999.
- [25] DIEDRICH, G., SANTEN, L., SCHADSCHNEIDER, A., AND ZITTARTZ, J. Effects of on- and off-ramps in cellular automata models for traffic flow. *Int. J. of Mod. Phys. C* 11 (2000), 335–345.
- [26] EDIE, L. C., AND FOOTE, R. S. Traffic flow in tunnels. *Proc. HRB* 37 (1958), 334–344.
- [27] EISENBLÄTTER, B., SANTEN, L., SCHADSCHNEIDER, A., AND SCHRECKENBERG, M. Jamming transition in a cellular automaton model for traffic flow. *Phys. Rev. E* 57, 2 (1998), 1309–1314.
- [28] EMMERICH, H., AND RANK, E. An improved cellular automaton model for traffic flow simulation. *Physica A* 234 (1997), 676–686.

-
- [29] ESSER, J., NEUBERT, L., WAHLE, J., AND SCHRECKENBERG, M. Microscopic online simulation of urban traffic. In *Proc. of the 14th ITS (1999)*, A. Ceder, Ed., Pergamon, pp. 535–554.
- [30] ESSER, J., AND SCHRECKENBERG, M. Microscopic simulation of urban traffic based on cellular automata. *Int. J. of Mod. Phys. C 8* (1997), 1025–1036.
- [31] EVANS, M. R., RAJEWSKI, N., AND SPEER, E. R. Exact solution of a cellular automaton for traffic. *J. Stat. Phys.* 95 (1999), 45–96.
- [32] FUKUI, M., AND ISHIBASHI, Y. Traffic flow in 1d cellular automaton model including cars moving with high speed. *J. Phys. Soc. Japan* 65 (1996), 1868–1870.
- [33] GAZIS, D., HERMAN, R., AND ROTHERY, R. Nonlinear follow the leader models of traffic flow. *Op. Res.* 9 (1961), 545–567.
- [34] GEORGE, H. P. In *Measurement and Evaluation of Traffic Congestion* (Yale University, 1961), Bureau of Highway Traffic, pp. 43–68.
- [35] GOLDBACH, M., EIDMANN, A., AND KITTEL, A. Simulation of multilane freeway traffic with detailed rules deduced from microscopic driving behavior. *Phys. Rev. E* 61 (2000), R1239–1246.
- [36] GRABOLUS, S. Numerische Untersuchungen zum Nagel-Schreckenberg-Verkehrsmodell und dessen Varianten. Master’s thesis, University of Köln, Germany, 2001.
- [37] GREENSHIELDS, B. D. A study of traffic capacity. In *Proceedings of the Highway Research Board* (Washington, D.C., 1935), vol. 14, Highway Research Board, pp. 448–477.
- [38] HALL, F. L., ALLEN, B. L., AND GUNTER, M. A. Empirical analysis of freeway flow-density relationships. *Transp. Res. A* 20 (1987), 191–201.
- [39] HALL, F. L., AND LAM, T. N. The characteristics of congested flow on a freeway across lanes, space and time. *Transp. Res. A* 22 (1988), 45–56.
- [40] HELBING, D. Fundamentals of traffic flow. *Phys. Rev. E* 55 (1997), 3735–3738.
- [41] HELBING, D. *Verkehrsdynamik*. Springer, Berlin, 1997.
- [42] HELBING, D. Traffic and related self-driven many-particle systems. *cond-mat/0012229* (2000).
- [43] HELBING, D., AND GREINER, A. Modeling and simulation of multilane traffic flow. *Phys. Rev. E* 55 (1997), 5498–5508.
- [44] HELBING, D., HENNECKE, A., SHVETSOV, V., AND TREIBER, M. Micro- and macrosimulation of freeway traffic. *cond-mat/0003269* (2000).
- [45] HELBING, D., HENNECKE, A., AND TREIBER, M. Phase diagram of traffic states in the presence of inhomogeneities. *Phys. Rev. Lett.* 82 (1999), 4360–4363.
- [46] HELBING, D., HERRMANN, H. J., SCHRECKENBERG, M., AND WOLF, D. E., Eds. *Traffic and Granular Flow '99* (Heidelberg, 2000), Springer.

-
- [47] HELBING, D., AND SCHRECKENBERG, M. Cellular automata simulating experimental properties of traffic flow. *Phys. Rev. E* 59 (1999), 2505–2508.
- [48] HELBING, D., AND TILCH, B. Generalized force model of traffic dynamics. *Phys. Rev. E* 58 (1998), 133–138.
- [49] HERMAN, R., MONTROLL, E. W., POTTS, R. B., AND ROTHERY, R. W. Traffic dynamics: Analysis of stability in car following. *Op. Res.* 7 (1959), 86–106.
- [50] HERMAN, R., AND ROTHERY, R. W. Car following and steady-state flow. In *Proceedings of the 2nd International Symposium on the Theory of Traffic Flow* (Bonn, Germany, 1965).
- [51] HIGHWAY CAPACITY MANUAL. *HRB Spec. Rep. 87*. U.S. Department of Commerce, Bureau of Public Roads, Washington, D.C., 1965.
- [52] HILLIGES, M., AND WEIDLICH, W. A phenomenological model for dynamic traffic flow in networks. *Transp. Res. B* 29 (1995), 407–431.
- [53] HOEFS, D. H. *Untersuchung des Fahrverhaltens in Fahrzeugkolonnen*, Heft 140 der Reihe Straßenbau und Straßenverkehrstechnik ed. Bundesministerium für Verkehr, Abt. Straßenbau, Bonn-Bad Godesberg, 1972.
- [54] HOOGENDOORN, S. P., AND BOVY, P. H. L. Gas-kinetic model for multilane heterogeneous traffic flow. *Transp. Res. Rec.* 1678 (1999), 150–159.
- [55] HUANG, D., AND TSAI, C. Low-density limit of the Nagel-Schreckenberg model. *Phys. Rev. E* 63 (2001), 012101.
- [56] HUBERMAN, B. A., AND HELBING, D. Economics-based optimization of unstable flows. *Europhys. Lett.* 47 (1999), 196–202.
- [57] HUISINGA, T., BARLOVIC, R., KNOSPE, W., SCHADSCHNEIDER, A., AND SCHRECKENBERG, M. A microscopic model for packet transport in the internet. *Physica A* 294 (2001), 249–256.
- [58] ISLAM, M. N., AND CONSUL, P. C. The consul distribution as a bunching model in traffic flow. *Transp. Res. B* 25 (1991), 365–372.
- [59] J. T. ARIARATNAM, S. H. S. Phase diagram for the winfree model of coupled nonlinear oscillators. *Phys. Rev. Lett.* 86 (2001), 4278–4281.
- [60] JENKINS, G. M., AND WATTS, D. G. *Spectral analysis and its applications*. Holden-Day, San Francisco, 1968.
- [61] KAUMANN, O., CHROBOK, R., WAHLE, J., AND SCHRECKENBERG, M. Traffic forecast using on-line simulations. In *Proc. 8th Meeting of the Euro Working Group Transportation, 11-14th September* (Rome, 1999), M. Bielli, Ed.
- [62] KAUMANN, O., FROESE, K., CHROBOK, R., WAHLE, J., NEUBERT, L., AND SCHRECKENBERG, M. On-line simulation of the freeway network of North Rhine-Westphalia. In Helbing et al. [46], pp. 351–356.
- [63] KERNER, B., AND REHBORN, H. Experimental features and characteristics of traffic jams. *Phys. Rev. E* 53 (1996), R1297–1300.

-
- [64] KERNER, B., AND REHBORN, H. Experimental properties of complexity in traffic flow. *Phys. Rev. E* 53 (1996), R4275–4278.
- [65] KERNER, B., AND REHBORN, H. Verfahren zur Verkehrszustandsüberwachung und Fahrzeugzuflußsteuerung in einem Straßenverkehrsnetz (in German). *German patent application DE 198 35 979 A* (2000).
- [66] KERNER, B., REHBORN, H., AND KIRSCHFINK, H. Method for the automatic monitoring of traffic including the analysis of back-up dynamics. *German patent DE 196 47 127, US patent US 5861820* (1998).
- [67] KERNER, B. S. Experimental features of self-organization of traffic flow. *Phys. Rev. Lett.* 81 (1998), 3797–3800.
- [68] KERNER, B. S. Traffic flow: Experiment and theory. In Schreckenberg and Wolf [129], pp. 239–267.
- [69] KERNER, B. S. The physics of traffic. *Physics World* 8/99 (1999), 25–30.
- [70] KERNER, B. S. Experimental features of the emergence of moving jams in free traffic flow. *J. Phys. A* 33 (2000), 221–228.
- [71] KERNER, B. S. Phase transitions in traffic flow. In Helbing et al. [46], pp. 253–282.
- [72] KERNER, B. S. Theory of breakdown phenomenon at highway bottlenecks. *Transp. Res. Rec.* 1710 (2000), 136–144.
- [73] KERNER, B. S. Complexity of synchronized flow and related problems for basic assumptions of traffic flow theories. *Network and Spatial Economics* 1 (2001), 35–76.
- [74] KERNER, B. S., AND KONHÄUSER, P. Cluster effect in initially homogeneous traffic flow. *Phys. Rev. E* 48 (1993), 2335–2338.
- [75] KERNER, B. S., AND KONHÄUSER, P. Structure and parameters of clusters in traffic flow. *Phys. Rev. E* 50 (1994), 54–83.
- [76] KERNER, B. S., KONHÄUSER, P., AND SCHILKE, M. Deterministic spontaneous appearance of traffic jams in slightly inhomogeneous traffic flow. *Phys. Rev. E* 51 (1995), 6243–6246.
- [77] KERNER, B. S., REBHORN, H., AND ALEKSIC, M. Forecasting of traffic congestion. In Helbing et al. [46], pp. 339–344.
- [78] KERNER, B. S., AND REHBORN, H. Experimental properties of phase transitions in traffic flow. *Phys. Rev. Lett.* 79 (1997), 4030–4033.
- [79] KNOSPE, W., SANTEN, L., SCHADSCHNEIDER, A., AND SCHRECKENBERG, M. Disorder effects in cellular automata for two-lane traffic. *Physica A* 265 (1999), 614–633.
- [80] KNOSPE, W., SANTEN, L., SCHADSCHNEIDER, A., AND SCHRECKENBERG, M. CA models for traffic flow: Comparison with empirical single-vehicle data. In Helbing et al. [46], pp. 431–436.

-
- [81] KNOSPE, W., SANTEN, L., SCHADSCHNEIDER, A., AND SCHRECKENBERG, M. Towards a realistic microscopic description of highway traffic. *J. Phys. A* 33 (2000), L477–L485.
- [82] KNOSPE, W., SANTEN, L., SCHADSCHNEIDER, A., AND SCHRECKENBERG, M. Human behavior as origin of traffic phases. *Phys. Rev. E* 65 (2002), 015101.
- [83] KOLOMEISKY, A. B., SCHÜTZ, G. M., KOLOMEISKY, E. B., AND STRALEY, J. P. Phase diagram of one-dimensional driven lattice gases with open boundaries. *J. Phys. A* 31 (1998), 6911–6919.
- [84] KOSHI, M., IWASAKI, M., AND OHKURA, I. Some findings and an overview on vehicular flow characteristics. In *Proc. 8th International Symposium on Transportation and Traffic Theory* (Toronto, 1983), V. F. Hurdle, E. Hauert, and G. N. Stewart, Eds., University of Toronto Press, pp. 403–426.
- [85] KRAUSS, S. *Microscopic Modelling of Traffic Flow: Investigation of collision free vehicle dynamics*. PhD thesis, University of Köln, 1997.
- [86] KRUG, J. Boundary-induced phase transitions in driven diffusive systems. *Phys. Rev. Lett.* 67 (1991), 1882–1885.
- [87] KÜHNE, R. Macroscopic freeway model for dense traffic – stop-start waves and incident detection. In *Proceedings of the 9th International Symposium on Transportation and Traffic Theory* (Utrecht, The Netherlands, 1984), I. Volmuller and R. Hamerslag, Eds., VNU Science Press, pp. 21–42.
- [88] KÜHNE, R., AND IMMES, S. Freeway speed distribution and acceleration noise – calculations from a stochastic continuum theory and comparison with measurements. In *Proceedings of the 10th International Symposium on Transportation and Traffic Theory* (New York, 1987), N. H. Gartner and N. H. M. Wilson, Eds., Elsevier, pp. 119–137.
- [89] KURATA, S., AND NAGATANI, T. Enhancement and stabilization of traffic flow by moving in groups. *Phys. Rev. E* 64 (2001), 016106.
- [90] LEE, H. Y., LEE, H. W., AND KIM, D. Origin of synchronized traffic flow on highways and its dynamic phase transition. *Phys. Rev. Lett.* 81 (1998), 1130–1133.
- [91] LEE, H. Y., LEE, H. W., AND KIM, D. Dynamic states of a continuum traffic equation with on-ramp. *Phys. Rev. E* 59 (1999), 5101–5111.
- [92] LEE, H. Y., LEE, H. W., AND KIM, D. Phase diagram of congested traffic flow: An empirical study. *Phys. Rev. E* 62 (2000), 4737–4741.
- [93] LENZ, H., WAGNER, C. K., AND SOLLACHER, R. Multi-anticipative car-following model. *Eur. Phys. J. B* 7 (1999), 331–335.
- [94] LEUTZBACH, W., AND BUSCH, F. *Spurwechselforgänge auf dreispurigen BAB-Richtungsfahrbahnen*. Institut für Verkehrswesen, University of Karlsruhe, 1984.
- [95] LIGHTHILL, M. J., AND WHITHAM, G. B. On kinematic waves I: Flood movement in long rivers. *Proc. R. Soc. A* 229 (1955), 281–316.

-
- [96] Lighthill, M. J., AND Whitham, G. B. On kinematic waves II: A theory of traffic on long crowded roads. *Proc. R. Soc. A* 229 (1955), 317–345.
- [97] MAY, A. *Traffic flow fundamentals*. Prentice Hall, Englewood Cliffs, 1990.
- [98] MAY, JR., A. D., AND KELLER, H. E. M. Non-integer car-following models. *Highway Research Record* 199 (1967), 19–32.
- [99] MICHALOPOULOS, P. G., BESKOS, D. E., AND YAMAUCHI, Y. Multilane traffic flow dynamics: Some macroscopic considerations. *Transp. Res. B* 18 (1984), 377–395.
- [100] MILLER, A. J. A queuing model for road traffic flow. *J. Royal Stat. Soc.* 23, B (1961), 64–75.
- [101] NAGATANI, T. Car bunching and traffic jams in cellular automaton models. In Wolf et al. [144], pp. 57–72.
- [102] NAGATANI, T. Kinetics of segregation in a two-lane highway traffic flow. *J. Phys. A* 29 (1996), 6531–6542.
- [103] NAGEL, K. Particle hopping models and traffic flow theory. *Phys. Rev. E* 53 (1996), 4655–4672.
- [104] NAGEL, K., ESSER, J., AND RICKERT, M. Large-scale traffic simulations for transport planning. In *Ann. Rev. of Comp. Phys. VII* (Singapore, 2000), D. Stauffer, Ed., World Scientific, pp. 151–202.
- [105] NAGEL, K., AND PACZUSKI, M. Emergent traffic jams. *Phys. Rev. E* 51 (1995), 2909–2918.
- [106] NAGEL, K., AND SCHRECKENBERG, M. A cellular automaton model for freeway traffic. *J. Physique I* 2 (1992), 2221–2229.
- [107] NAGEL, K., WOLF, D. E., WAGNER, P., AND SIMON, P. Two-lane traffic rules for cellular automata: A systematic approach. *Phys. Rev. E* 58 (1998), 1425–1437.
- [108] NELSON, P. Synchronized traffic flow from a Lighthill-Whitham model. *Phys. Rev. E* 61 (2000), R6052–6055.
- [109] NEUBERT, L. *Statistische Analyse von Verkehrsdaten und die Modellierung von Verkehrsfluß mittels zellularer Automaten*. PhD thesis, University of Duisburg, 2000.
- [110] NEUBERT, L., SANTEN, L., SCHADSCHNEIDER, A., AND SCHRECKENBERG, M. Single-vehicle data of highway traffic: A statistical analysis. *Phys. Rev. E* 60 (1999), 6480–6490.
- [111] PAPAGEORGIOU, M. An integrated control approach for traffic corridors. *Transp. Res. C* 3 (1995), 19–30.
- [112] PAPAGEORGIOU, M., AND KOTSIALOS, A. Freeway ramp metering: An overview. In *IEEE Intelligent Transportation Systems* (Dearborn (MI), 1-3 October, 2000), pp. 228–239.
- [113] PFEFER, R. C. New safety and service guides for sight distances. *Transportation Engineering Journal of American Society of Civil Engineers* 102 (1976), 683–697.

-
- [114] PIPES, L. An operational analysis of traffic dynamics. *J. Appl. Phys.* 24 (1953), 274–281.
- [115] POPKOV, V., SANTEN, L., SCHADSCHNEIDER, A., AND SCHÜTZ, G. M. Empirical evidence for a boundary-induced nonequilibrium phase transition. *J. Phys. A* 34 (2001), L45–L52.
- [116] POTTMEIER, A., BARLOVIC, R., KNOSPE, W., SCHADSCHNEIDER, A., AND SCHRECKENBERG, M. Localized defects in a cellular automaton model for traffic flow with phase separation. *Physica A* (in press).
- [117] PRIGOGINE, I., AND ANDREWS, F. C. A Boltzmann-like approach for traffic flow. *Op. Res.* 8 (1960), 789–797.
- [118] PRIGOGINE, I., AND HERMAN, R. *Kinetic Theory of Vehicular Traffic*. American Elsevier, New York, 1971.
- [119] RAJEWSKY, N., SANTEN, L., SCHADSCHNEIDER, A., AND SCHRECKENBERG, M. The asymmetric exclusion process: Comparison of update procedures. *J. Stat. Phys.* 92 (1998), 151–194.
- [120] REUSCHEL, A. Fahrzeugbewegungen in der Kolonne. *Österreichisches Ingenieur-Archiv* 4 (1950), 193–215.
- [121] REUSCHEL, A. Fahrzeugbewegungen in der Kolonne bei gleichförmig beschleunigtem oder verzögertem Leitfahrzeug. *Zeits. d. Österr. Ing. und Arch. Vereines* 95 (1950), 59–62.
- [122] RICKERT, M., AND NAGEL, K. Experiences with a simplified microsimulation for the Dallas/Forth-Worth area. *Int. J. of Mod. Phys. C* 8 (1997), 483–503.
- [123] RICKERT, M., NAGEL, K., SCHRECKENBERG, M., AND LATOUR, A. Two lane traffic simulations using cellular automata. *Physica A* 231 (1996), 534–550.
- [124] SALEM, H. H., AND PAPAGEORGIOU, M. Ramp metering impact on urban corridor traffic: Field results. *Transp. Res. A* 29 (1995), 303–319.
- [125] SASVARI, M., AND KERTÉSZ, J. Cellular automata models of single lane traffic. *Phys. Rev. E* 56 (1997), 4104–4110.
- [126] SCARGLE, J. D. Studies in astronomical time series analysis. iii. fourier transforms, autocorrelation functions, and cross-correlation functions of unevenly spaced data. *Ap. J.* 343 (1989), 874–887.
- [127] SCHADSCHNEIDER, A., AND SCHRECKENBERG, M. Traffic flow models with 'slow-to-start' rules. *Ann. Phys.* 6 (1997), 541–551.
- [128] SCHLUMS, J., Ed. *Untersuchungen des Verkehrsablaufes auf Landstraßen*. Eigenverlag, Hannover, 1955.
- [129] SCHRECKENBERG, M., AND WOLF, D. E., Eds. *Traffic and Granular Flow '97* (Singapore, 1998), Springer.
- [130] SPARMANN, U. Spurwechselforgänge auf zweispurigen BAB-Richtungsfahrbahnen. In *Forschung Straßenbau und Straßenverkehrstechnik Heft 263* (Bonn-Bad Godesberg, 1978), Bundesminister für Verkehr.

-
- [131] SUGIYAMA, Y., AND YAMADA, H. Aspects of optimal velocity model for traffic flow. In Schreckenberg and Wolf [129], pp. 301–318.
- [132] TAKAYASU, M., AND TAKAYASU, H. 1/f-noise in a traffic flow model. *Fractals* 1 (1993), 860–866.
- [133] TILCH, B., AND HELBING, D. Evaluation of single vehicle data in dependence of the vehicle-type, lane and site. In Helbing et al. [46], pp. 333–338.
- [134] TOMER, E., SAFONOV, L., AND HAVLIN, S. Presence of many stable nonhomogeneous states in an inertial car-following model. *Phys. Rev. Lett.* 84 (2000), 382–385.
- [135] TRAFFIC ENGINEERING HANDBOOK. Institute of Transportation Engineers, Washington, DC, 1992.
- [136] TREIBER, M., AND HELBING, D. Explanation of observed features of self-organization in traffic flow. *cond-mat/9901239* (1999).
- [137] TREIBER, M., HENNECKE, A., AND HELBING, D. Congested traffic states in empirical observations and microscopic simulations. *Phys. Rev. E* 62 (2000), 1805–1824.
- [138] TREITERER, J. Investigation of traffic dynamics by aerial photogrammatic techniques. *The Ohio State University, Technical Report PB-246094* (1975).
- [139] VON NEUMANN, J., AND BURKS, A. W. *Theory of self-reproducing automata*. Univ. of Illinois Press, Urbana, IL, 1966.
- [140] WAGNER, P. Traffic simulations using cellular automata: Comparison with reality. In Wolf et al. [144], pp. 199–203.
- [141] WAGNER, P., NAGEL, K., AND WOLF, D. E. Realistic multi-lane traffic rules for cellular automata. *Physica A* 234 (1997), 687–698.
- [142] WAHLE, J., NEUBERT, L., AND SCHRECKENBERG, M. A cellular automaton traffic flow model for online simulation of traffic. *Parallel Comp.* 27 (2001), 719–735.
- [143] WHITHAM, G. B. *Linear and nonlinear waves*. Wiley, New York, 1974.
- [144] WOLF, D. E., SCHRECKENBERG, M., AND BACHEM, A., Eds. *Traffic and Granular Flow* (Singapore, 1996), World Scientific.
- [145] WOLFRAM, S. *Theory and applications of cellular automata*. World Scientific, Singapore, 1986.