

8. Literaturverzeichnis

- [1] Wingender J., Neu T.R., Flemming H.C.: What are bacterial extracellular polymeric substances, in: Microbial extracellular polymer substances, (Eds.) Wingender J., Neu T.R., Flemming H.C., Springer, Heidelberg, Berlin (1999), 1 - 19
- [2] Flemming H.C.: Biofilme, Biofouling und mikrobielle Schädigung von Werkstoffen, Stuttgarter Berichte zur Siedlungswasserwirtschaft 129, Oldenburg Verlag, München (1994)
- [3] Characklis W.E., Wilderer P.A.: Structure and function of biofilms, Wiley, Chichester (1989)
- [4] Grant G.T., Morris E.R., Rees D.A.: Biological interactions between polysaccharides and divalent cations - the egg-box model, *FEBS Lett.*, 32 (1973), 195 - 198
- [5] Costerton J.W., Lewandowski Z.: Microbial biofilms, *Ann. Rev. Microbiol.*, 49 (1995), 711 - 745
- [6] Paulsen J.E., Oppen E., Bakke R.: Biofilm morphology in porous media, a study with microscopic and image techniques, *Wat. Sci. Tech.*, 36 (1997), 1 - 9
- [7] Characklis W.G., Mc Feters G.A., Marshall K.C.: Physiological ecology in biofilm systems, in: (Eds.) Characklis W.G., Marshall K.C.: Biofilms, John Wiley, New York, 341 - 394
- [8] Kerr C.J., Osborn K.S., Robson G.D., Handley P.S.: The effect of substratum on biofilm formation in drinking water systems, in: Biofilms - community interactions and control, (Eds.) Wimpenny J., Handley P., Glibert P., Lappin-Scott H., Jones M., Bioline (1997), 167 - 174
- [9] Flemming H.C.: Struktur und Eigenschaften von Biofilmen, 17. DECHEMA Jahrestagung, 27. - 29.4. 99, Wiesbaden, Conference Proceedings Bd. I, 360 - 363
- [10] Decho A.W.: Chemical communication within microbial biofilms – chemotaxis and quorum sensing in bacterial cells, in: Microbial extracellular polymer substances, (Eds.) Wingender J., Neu T.R., Flemming H.C., Springer, Heidelberg, Berlin (1999), 155 - 169
- [11] Schopf J.W., Hayes J.M., Walter M.R.: Evolution on earth's earliest ecosystems; recent progress and unsolved problems, in: (Ed.) Schopf J.W.: Earth's earliest biosphere, Princeton Univ. Press, New Jersey, 361 - 384

- [12] Toporski J.K.W., Steele A., Westall F. Avci R., Martill D.M., McKay D.S.: Morphologic and spectral investigation of exceptionally well-preserved bacterial biofilms from the oligocene enspel formation, Germany, *Geochim. Cosmochim. Acta*, 66, 10 (2002), 1773 - 1791
- [13] Westall F., de Wit M.J., Dann J., van der Gaast S., de Ronde C.E.J., Gerneke D.: Early archean fossil bacteria and biofilms in hydrothermally-influenced sediments from the Barberton greenstone belt, South Africa, *Precambrian Res.*, 106 (2001), 93 - 116
- [14] Ward D.M., Weller R., Shiea J., Castenholz R.W., Cohen Y.: Hot spring microbial mats – anoxygenic and oxygenic mats of possible evolutionary significance, in: (Eds.) Cohen Y., Rosenberg E.: Microbial mats, *Acad. Soc. Microbiol.*, Washington, 3 - 15
- [15] Hahn J., Haug P.: Traces of Archebacteria in ancient sediments, *System. Appl. Microbiol.*, 65 (1999), 178 - 183
- [16] Cohen Y., Rosenberg E. (Eds.): Microbial mats – Physiological ecology of benthic microbial communities; *Am. Soc. Microbiol.*, Washington (1989)
- [17] Eckhardt F.E.W.: Solubilization, transport and deposition of mineral cations by microorganisms – efficient rock weathering agents, in: (Ed.) Drever J.I., The chemistry of weathering, D. Reidel Publ. (1985), 161 - 173
- [18] Krumbein W.E.: Microbial interactions with mineral materials, in: (Eds.) Houghton D.R., Smith R.N., Eggins H.O.W.; *Biodegradation* 7, Elsevier, London (1987), 78 - 100
- [19] De Bo I., Langenhove H., Heyman J.: Removal of dimethyl sulfide from waste air in a membrane bioreactor; *Desalination*, 148 (2002), 281 - 287
- [20] Tseng D.H., Guo G.L., Chang C.H., Huang S.L.: Removal of toluene in gas streams by a fibrous-bed trickling filter, *Environ. Technol.*, 22 (2001), 39 - 46
- [21] Lu C., Lin M.R., Wey I.: Removal of acetone and methylacetate mixtures from waste gases by a trickle-bed air biofilter, *Environ. Technol.*, 23 (2002), 243 - 252
- [22] Cox H.H.J., Deshusses M.A.: Co-treatment of H₂S and toluene in a biotrickling filter, *Chem. Eng. J.*, 87 (2002), 101 - 110
- [23] Callow M.E., Callow J.A.: Marine biofouling – a sticky problem, *Biologist*, 48 (2002), 1 - 8
- [24] Lundgren D.G.: Biotic and abiotic release of inorganic substances exploited by bacteria, in: Bacteria in nature - structure, physiology, and genetic adaptability, (Eds.) Poit-dexter J.S., Leadbetter E.R., Plenum Press, New York, 293 - 335
- [25] Videla H.A., Guiamet P.S., Dovalle S., Reinoso E.H.: Effects of bacterial contaminants of kerosene fuels on the corrosion of storage and distribution systems, in: Microbial induced Corrosion, ed: Korbin G., NACE, Houston (TX), 125 - 139

- [26] Pranghofer S., Siegl G.: Biofilme – Eine bakterielle Lebensform mit zunehmender medizinischer Bedeutung, *IKMI – Info* (<http://www.ikmi.ch>), 3 (2001), 1
- [27] Jacques M., Marrie T.M., Costerton J.W.: Review – microbial colonization of prosthetic devices, *Microb. Ecol.* 13 (1987), 173 - 191
- [28] Martinez-Martinez L., Pascual A., Perea E.J.: Kinetics of mucoid and non-mucoid *Pseudomonas aeruginosa* to plastic catheters, *J. Med. Microbiol.*, 34 (1991), 7 - 12
- [29] Costerton J.W., Stewart P.S., Greenberg E.P.: Bacterial biofilms – a common cause of persistant infections, *Science*, 284 (1999), 1318 - 1322
- [30] Whittaker C.J., Klier C.M., Kolenbrander P.E.: Mechanisms of adhesion by oral bacteria, *Ann. Rev. Microbiol.*, 50 (1996), 513 - 552
- [31] Lamont R.J., Jenkinson H.F.: Life below the gum line: pathogenic mechanisms of *Porphyromonas gingivalis*; *Microbiol. Mol. Biol. Rev.*, 62 (1998), 1244 - 1263
- [32] Xie H., Cook G.S., Costerton J.W., Bruce G., Rose T.M., Lamont R.J.: Intergenic communication in dental plaque biofilms, *J. Bacteriol.* 182, 24 (2000), 7067 - 7069
- [33] Demuth D.R., Irvine D.C., Costerton J.W., Cook G.S., Lamont R.J.: Discrete protein determinant directs the species-specific adherence of *Porphyromonas gingivalis* to oral *Streptococci*, *Infect. Immun.*, 69, 9 (2001), 5736 - 5741
- [34] Yoon S.S., Hennigan R.F., Hillard G.M., Ochsner U.A., Parvatiyar K., Kamani M.C., Allen H.L., DeKievit T.R., Gardner P.R., Schwab U., Rowe J.J., Iglewski B.H., McDermott T.R., Mason R.P., Wozniak D.J., Hancock R.E.W., Parsek M.R., Noah T.L., Boucher R.C. Hassett D.J.: *Pseudomonas aeruginosa* anaerobic respiration in biofilms – relationships to cystic fibrosis pathogenesis, *Dev. Cell*, 3 (2002), 593 - 603
- [35] Lam J., Chan R., Lam K., Costerton J. W.; Production of mucoid microcolonies by *Pseudomonas aeruginosa* within infected lungs in cystic fibrosis, *Infect. Immun.*, 28 (1980), 546 - 556
- [36] McPherson M.A., Goodchild M.C.: The biochemical defect in cystic fibrosis, *Clin. Sci.*, 74 (1988), 337 - 345
- [37] Wimpenny J., Manz W., Szewzyk U.: Heterogeneity in biofilms, *FEMS Microbiol. Rev.*, 24 (2000), 661 - 671
- [38] Eginton P.J., Gibson H., Holah J., Handley P.S., Gilbert P.: Strength of adhesion of bacteria to surfaces of Biofilms, in: The life and death of biofilm, (Eds.) Wimpenny J., Handley P., Glibert P., Lappin-Scott H., Bioline (1995), 61 - 64
- [39] O'Toole G.A., Kolter R.: Flagellar and twitching motility are necessary for *Pseudomonas aeruginosa* biofilm development, *Mol. Microbiol.*, 30 (1998), 295 - 304

- [40] Liu Y., Tay J.H.: The essential role of hydrodynamic shear force in the formation of biofilm and granular sludge, *Water Res.* 36 (2002), 1653 - 1665
- [41] van Loosdrecht M.C.M., Eikelboom D., Gjaltema A., Mulder A., Tijhuis L., Heijnen J.J.: Biofilm Structures, *Wat. Sci. Tech.*, 32 (1995), 35 - 43
- [42] Costerton J.W., Lewandowski Z., deBeer D., Caldwell D., Korber D., James G.: Bacterial biofilms - the customized microniche, *J. Bacteriol.*, 176 (1994), 2137 - 2142
- [43] de Beer D., Stoodley P.: Relation between structure of an aerobic biofilm and transport phenomena., *Wat. Sci. Tech.* 32 (1995), 11 - 18
- [44] Okabe S., Yasuda T., Watanabe Y.: Uptake and release of inert fluorescence particles by mixed population Biofilms, *Biotechnol. Bioeng.*, 53 (1997), 459 - 469
- [45] Okabe S., Kuroda H., Watanabe Y.: Significance of biofilm structure on transport of inert particulates into biofilms, *Wat. Sci Tech.*, 38 (1998), 163 - 170
- [46] Bishop P.L.: Biofilm structure and kinetics, *Wat. Sci. Tech.*, 36 (1997), 287 - 294
- [47] Picioreanu C., van Loosdrecht M.C.M., Heijnen J.J.: Effect of diffusive and convective substrate transport on biofilm structure formation – a two-dimensional modelling study, *Biotechnol. Bioeng.*, 69 (2000), 504 - 515
- [48] Davies D.G., Parsek M.R., Pearson J.P., Iglesias B.H., Costerton J.W., Greenberg E.P.: The involvement of cell-to-cell signals and the development of bacterial Biofilm, *Science*, 280 (1998), 295 - 298
- [49] O'Toole G.A., Gibbs K.A., Hager P.W., Phibbs P.V.Jr., Kolter R.: The global carbon metabolism regulator *crc* is a component of a signal transduction pathway required for biofilm development by *Pseudomonas aeruginosa*, *J. Bacteriol.*, 182 (2000), 1374 - 1382
- [50] Wingender J., Jaeger K.E., Flemming H.C.: Interactions between extracellular enzymes and polysaccharides, in: *Microbial extracellular polymer Substances*, (Eds.) Wingender J., Neu T.R., Flemming H.C., Springer, Heidelberg, Berlin (1999), 231 - 251
- [51] Flemming H.C., Wingender J.: Extrazelluläre polymere Substanzen - der Baustoff für Biofilme, *Vom Wasser*, 94 (2000), 145 - 266
- [52] Nielsen. P.H., Jahn A., Palmgren R.: Conceptual model for production and composition of exopolymers in biofilms, *Wat. Sci. Tech.*, 36 (1997), 11 - 19
- [53] Burns R.G.: Microbial and enzymic activities in soil biofilms, in: Characklis W.G., Wilderer P.A. (Eds.): *Structure and function of biofilms*, (1989) John Wiley & Sons, Chichester, 333 - 349

- [54] Jahn A., Nielsen P.H.: Extraction of EPS, in: Microbial extracellular polymer Substances, (Eds.) Wingender J., Neu T.R., Flemming H.C., Springer, Heidelberg, Berlin (1999), 49 - 72
- [55] Tiat M.I., Sutherland I.W., Clarke-Sturman A.J.: Effect of growth conditions on the production, composition and viscosity of *Xanthomonas campesteris* exopolysaccharide; *J. Gen. Microbiol.*, 132 (1986), 1483 - 1492
- [56] Rode A.: internal communication
- [57] Christensen B.E., Kjosbakken, Smidsrød O.: Partial chemical characterization of two extracellular polysaccharides produced by marine, periphytic *Pseudomonas* sp. strain NCMB 2021, *Appl. Environ. Microbiol.*, 50 (1985), 837 - 845
- [58] Wingender J., Strathmann, M., Rode A., Leis A., Flemming H.C.: Isolation and biochemical characterization of extracellular polymeric substances from *Pseudomonas aeruginosa*, *Method. Enzymol.*, 336 (2001), 302 - 314
- [59] Flemming H.C., Wingender J., Mayer C., Körstiens V., Borchard W.: Cohesiveness in biofilm matrix polymers, in: Community structure and co-operation in biofilms, (Eds.): Lappin-Scott H., Gilbert P., Wilson M., Allison D., SGM Symposium 59, Cambridge University Press, 87 - 105
- [60] Graessley W.W.: The entanglement concept in polymer rheology, *Adv. Polym. Sci.*, 16 (1974), 1-179
- [61] Straatmann A., Borchard W.: Determination of thermodynamic properties of sodium alginate from bacteria and seaweeds in aqueous solutions, *Progr. Colloid Polym. Sci.*, 119 (2001), 64 - 69
- [62] Windhüs T., Borchard W.: Effect of acetylation on physico-chemical properties of bacterial and algal alginates in physiological NaCl solutions investigated with light scattering techniques, *Carbohydr. Polym.*, 52 (2003): 47 - 52
- [63] Aspinall G.O.: Polysaccharides; Pergamon Press Ltd., Headington Hill Hall, Oxford (1970)
- [64] Aspinall G.O.: The Polysaccharides Vol. 1, in: Molecular Biology – an international series of monographs and textbooks, Academic Press, New York (1982)
- [65] Haug A., Larsen B., Smidsrød O.: *Acta Chem. Scand.* 21 (1967), 691
- [66] Whitfield C.: Bacterial extracellular polysaccharides. *Can. J. Microbiol.*, 34 (1988), 415 - 420
- [67] Schürks N., Wingender J., Flemming H.C., Mayer C.: Monomer composition and sequence of alginate from *Pseudomonas aeruginosa*, *Int. J. Biolog. Macromol.*, 30 (2002), 105 - 111

- [68] Skjak-Braek G., Grasdalen H., Larsen B.: Monomer sequence and acetylation pattern in some bacterial alginates, *Carbohydr. Res.* 154 (1986), 239 - 250
- [69] Skjak-Braek G., Zanetti G.F., Paoletti S.: Effect of acetylation on some solution and gelling properties of alginates, *Carbohydr. Res.* 185 (1989), 131 - 138
- [70] Atkins E.D.T., Attwool P.T., Miles M.J., Morris V.J., O'Neill M.A., Sutherland I.W.: Effect of acetylation on the molecular interactions and gelling properties of a bacterial polysaccharide, *Int. J. Biol. Macromol.*, 9 (1987), 115 - 117
- [71] Geddie J.L., Sutherland I.W.: The effect of acetylation on cation binding by algal and bacterial alginates, *Biotechnol. Appl. Biochem.*, 29 (1994), 117 - 129
- [72] Linker A., Jones R.S.: A polysaccharide resembling alginic acid from a *Pseudomonas* micro-organism, *Nature*, 204 (1964), 187 - 188
- [73] Linker A., Jones R.S.: A new polysaccharide resembling alginic acid isolated from *Pseudomonads*, *J. Biol. Chem.*, 241 (1966), 3845 - 3851
- [74] Banerjee P.C., Vanags R.I., Chakrabarty A.M., Maitra P.K.: Alginic Acid Synthesis in *Pseudomonas aeruginosa* mutants defective in carbohydrate metabolism, *J. Bacteriol.*, 155 (1983), 238 - 245
- [75] Maharaj R., May T.B., Wang S.K., Chakrabarty A.M.: Sequenz of the alg8 and alg44 genes involved in the synthesis of alginic acid by *Pseudomonas aeruginosa*, *Gene*, 136 (1993), 267 - 269
- [76] Rehm B.H.A., Valla S.: Bacterial alginates: biosynthesis and applications, *Appl. Microbiol. Biotechnol.*, 48 (1997), 281 - 288
- [77] Christensen B.E.: Physical and chemical properties of extracellular polysaccharides associated with biofilms and related systems, in: *Microbial extracellular polymer Substances*, (Eds.) Wingender J., Neu T.R., Flemming H.C., Springer, Heidelberg, Berlin (1999), 143 - 154
- [78] Franklin M., Ohman D.E.: Identification of algF in the alginate biosynthetic gene-cluster of *Pseudomonas aeruginosa*, which is required for alginate acetylation, *J. Bacteriol.*, 175 (1993), 5057 - 5065
- [79] Shinabarger D., May T.B., Boyd A., Ghosh M., Chakrabarty A.M.: Nucleotide sequence and expression of the *Pseudomonas aeruginosa* algF gene controlling acetylation of alginate, *Mol. Microbiol.*, 9 (1993), 1027 - 1035
- [80] Franklin M., Chitnis C.E., Gacesa P., Sonesson A., White D.C., Ohman D.E.: *Pseudomonas aeruginosa* algG is a polymer level alginate C5- mannuronan epimerase, *J. Bacteriol.* 176 (1994), 1821 - 1830

- [81] Rehm B.H.A., Boheim G., Tommassen J., Winkler U.K.: Overexpression of algE in *Escherichia coli* – subcellular localization, purification and ion channel properties, *J. Bacteriol.*, 176 (1994), 5639 - 5647
- [82] Morris E.R., Rees D.A., Thom D.: Chiroptical and stoichiometric evidence of a specific, primary dimerisation process in alginate gelation, *Carbohydr. Res.*, 66 (1978), 145 - 154
- [83] Yalpani M.: Polysaccharides - synthesis, modifications and structure/property relations, Elsevier Science Publishers, Amsterdam (1988)
- [84] Friebolin H.: Ein- und zweidimensionale NMR- Spektroskopie: eine Einführung, 2. Auflage, VCH Verlagsgesellschaft, Weinheim (1992)
- [85] Traficante D.D.: Relaxation - an introduction, in: Encyclopedia of Nuclear Magnetic Resonance, (Ed.) Grand D.M., John Wiley & Sons Inc., Chichester (1996), 3988 -4003
- [86] Carr H.Y., Purcell E.M.: Effects of diffusion on free precession in nuclear magnetic resonance experiments, *Phys. Rev.* 94 (1954), 630 - 638
- [87] Hahn E.L.: Spin echoes, *Phys. Rev.*, 80 (1950), 580 - 594
- [88] Kalinowski H.O., Berger S., Braun S.: ^{13}C - NMR- Spektroskopie, Thieme Verlag, Stuttgart (1984)
- [89] McConnell H.M., Robertson R.E.: *J. Chem. Phys.*, 29 (1958), 1361 -
- [90] Banci L., Bertini I., Luchinat C.: Nuclear and electron relaxation – the magnetic nucleus-unpaired electron coupling in solution, VCH Verlagsgesellschaft, Weinheim (1991)
- [91] Grobe S.: Bedeutung des extrazellulären Polysaccharids Alginat für die Resistenz aquatischer Stämme von *Pseudomonas aeruginosa* gegenüber Chlor; Dissertation aus dem IWW Mülheim, 104 (1996)
- [92] Lange B., Wingender J., Winkler U.K.: Isolation and characterization of an alginate lyase from *Klebsiella aerogenes*, *Arch. Microbiol.*, 152 (1989). 302 -308
- [93] Amman C., Meier P., Merbach A.E.: *J. Magn. Reson.* 46 (1982), 319 - 321
- [94] Grasdalen H., Larsen B., Smidsrød O.: ^{13}C -N.M.R. studies of monomeric composition and sequence in alginate, *Carbohydr. Res.*, 89 (1981), 179 - 191
- [95] Haug A., Larsen B.: Quantitative determination of the uronic acid composition of alginates, *Acta Chem. Scand.*, 16 (1962), 1908 - 1918
- [96] Haug A., Larsen B., Smidsrød O.: A study of the constitution of alginic acid by partial acid hydrolysis, *Acta Chem. Scand.*, 20 (1966), 183 - 190

- [97] Haug A., Larsen B., Smidsrød O.: Studies on the sequence of uronic acid residues in alginic acid, *Acta Chem. Scand.*, 21 (1967), 691 - 704
- [98] Atkins P.W.: Physikalische Chemie, VCH Verlagsgesellschaft, Weinheim (1990)
- [99] Mayer C., Moritz R., Kirschner C., Borchard W., Maibaum R., Wingender J., Flemming H.C.: The role of intermolecular interactions – studies on model systems for bacterial biofilms, *Int. J. Biol. Macromol.*, 26 (1999), 3 - 16
- [100] Körstgens V., Flemming H.C., Wingender J., Borchard W.: Uniaxial compression measurement device for investigation of the mechanical stability of biofilms, *J. Microbiol. Methods*, 46 (2001), 9 - 17
- [101] Smidsrød O., Haug A.: The effect of divalent metals on properties of alginic solutions - calcium ions, *Acta Chem. Scand.*, 19 (1965), 329 - 340
- [102] Haug A., Smidsrød O.: The effect of divalent metals on properties of alginic solutions - comparison of different metal ions, *Acta Chem. Scand.*, 19 (1965), 341 - 351
- [103] Haug A., Smidsrød O.: Fractionation of alginates by precipitation with calcium and magnesium ions, *Acta Chem. Scand.*, 19 (1965), 1221 - 1226
- [104] Zheng H., Zhang H., Zhang Q., Konno M., Yang S., Wang J.: Salt effects on the cross-linking mechanism of cupric-induced sol-gel transition in alginic solutions, *Carbohydr. Polym.*, 35 (1998), 215 - 221
- [105] Matin A.: Stress response in bacteria, in: Encyclopedia of environmental microbiology, (Ed.) Bitton G., John Wiley & Sons, Inc., New York (2002), 3034 - 3046
- [106] Decho A.W.: Imaging an alginic polymer gel matrix using atomic force microscopy, *Carbohydr. Res.*, 315 (1999), 330 - 333
- [107] Podlas T.J., Ander P.: Interactions of Sodium and Potassium ions with Sodium and Potassium alginate in aqueous solution with and without added salt, *Macromol.*, 3 (1970), 154 - 157
- [108] Seale R., Morris E.R., Rees D.A.: Interactions of alginates with univalent ions, *Carbohydr. Res.*, 110 (1982), 101 - 112
- [109] Mayer C.: Lineshape calculations on spreadsheet software, *J. Magn. Reson.*, 138 (1999), 1 – 11
- [110] Mayer C.: Calculation of MAS spectra influenced by slow molecular tumbling, *J. Magn. Reson.*, 139 (1999), 132 - 138
- [111] Slichter C.P.: Principles of magnetic resonance, Springer Verlag, Berlin (1978)

- [112] Veeman W.S.: Carbon- 13 chemical shift anisotropy, *Prog. Nucl. Magn. Reson. Spectrosc.*, 16 (1984), 193 - 235
- [113] Haug A.: The affinity of some divalent metals to different types of alginates, *Acta Chem. Scand.*, 15 (1961), 1794 - 1795
- [114] Kohn R., Larsen B.: Preparation of water-soluble polyuronic acids and their calcium salts, and the determination of calcium ion activity in relation to the degree of polymerization, *Acta Chem. Scand.*, 26 (1972), 2455 -2468
- [115] Gregor J.E., Fenton E., Brokenshire G., van den Brink P., O'Sullivan B.: Interactions of calcium and aluminium ions with alginate, *Wat. Res.*, 30 (1996), 1319 - 1324
- [116] Wang X., Spencer H.G.: Calcium alginate gels – formation and stability in the presence of an inert electrolyte, *Polymer*, 39 (1998), 2759 - 2764
- [117] Draget K.I., Steinsvag K., Onsøyen E., Smidsrød O.: Na- and K- alginate; effect on Ca²⁺- gelation, *Carbohydr. Polym.*, 35 (1998), 1 - 6
- [118] Wang Z.Y., Zhang Q.Z., Konno M., Saito S.: Sol - gel transition of alginate solution by the addition of various divalent cations – a rheological study, *Biopolymers*, 34 (1994), 737 - 746
- [119] DeRamos C.M., Irwin A.E., Nauss J.L., Stout B.E.: 13C NMR and molecular modeling studies of alginic acid binding with alkaline earth and lanthanide metal ions, *Inorg. Chim. Acta*, 256 (1997), 69 - 75
- [120] Braccini I., Grasso R.P., Pérez S.: Conformational and configurational features of acidic polysaccharides and their interactions with calcium ions – a molecular modeling investigation, *Carbohydr. Res.*, 317 (1999), 119 - 130
- [121] Kolster K.: internal communication
- [122] Lee J.W., Ashby R.D., Day D.F.: Role of acetylation on metal induced precipitation on metal induced precipitation of alginates, *Carbohydr. Polymers* 29 (1996), 337 - 349
- [123] Reenards C.M.G.C., Jarvis M.C.: Acetylation and methylation of homogalacturonans 2: effect on ion-binding properties and conformations, *Carbohydr. Polymers* 39 (1999), 209 - 216
- [124] Gacesa P.: Alginate-modifying enzymes – a proposed unified mechanism of action for the lyases and epimerases, *FEBS Lett.*, 212 (1987), 119 - 202